Author Index

Adib, V., Spratt, D., Ng, Y.-L. & Gulabivala, K. Cultivable microbial flora associated with persistent periapical disease and coronal leakage after root canal treatment: a preliminary study, 542
Akdeniz, B.G. *see* Güneri, P.
Aktener, B.O. *see* Demirbaş Kaya, A.
Al Shalabi, R.M. *see* Omer, O.E.
Alomari, Q.D. *see* Hamasha, A.A.
Arai, T. *see* Hosoya, N.
Araújo, V.C. *see* Martinez, E.F.
Arbab-Chirani, R. & Vulcain, J.M. Undergraduate teaching and clinical use of rotary nickel–titanium endodontic instruments: a survey of French dental schools, 320
Asgary, S. *see* Parirokh, M.
Asgor Moral, A. *see* Takushige, T.
Aslanalp, V. *see* Sert, S.
Attin, T. *see* Hoer, D.
Ayar, L.R. & Love, R.M. Shaping ability of ProFile and K3 rotary Ni-Ti instruments when used in a variable tip sequence in simulated curved root canals, 593
Azabal, M., Garcia-Otero, D. & de la Macorra, J.C. Accuracy of the Justy II Apex locator in determining working length in simulated horizontal and vertical fractures, 174

Bailey, G.C., Cunnington, S.A., Ng, Y.-L., Gulabivala, K. & Setchell, D.J. Ultrasonic condensation of gutta-percha: the effect of power setting and activation time on temperature rise at the root surface – an *in vitro* study, 447
Bailey, G.C., Ng, Y.-L., Cunnington, S.A., Barber, P., Gulabivala, K. & Setchell, D.J. Root canal obturation by ultrasonic condensation of gutta-percha. Part II: an *in vitro* investigation of the quality of obturation, 694
Balducci, I. *see* Benetti, A.R.
Barbakow, F. *see* Peters, O.A.
Barber, P. *see* Bailey, G.C.
Bedford, J.M., Martin, D.M. & Youngson, C.C. Assessment of a contrast medium as an adjunct to endodontic radiography, 806
Belli, S. *see* Ozturk, B.
Benetti, A.R., Valera, M.C., Mancini, M.N.G., Miranda, C.B. & Balducci, I. *In vitro* penetration of bleaching agents into the pulp chamber, 120
Best, S., Watson, P., Pilliar, R., Kulkarni, G.G.K. & Yared, G. Torsional fatigue and endurance limit of a size 30 .06 ProFile rotary instrument, 370
Bian, Z. *see* Song, Y.L.
Biffi, J.C.G. *see* Sousa, C.J.A.
Bitter, K., Paris, S., Martus, P., Schartner, R. & Kielbassa, A.M. A Confocal Laser Scanning Microscope investigation of different dental adhesives bonded to root canal dentine, 840
Biz, M.T. & Figueiredo, J.A.P. Morphometric analysis of shank-to-flute ratio in rotary nickel–titanium files, 353
Bjørndal, L. & Reit, C. The annual frequency of root fillings, tooth extractions and pulp-related procedures in Danish adults during 1977–2003, 782
Bluhm, V. *see* Hülsmann, M.
Bombana, A.C. *see* Okino, L.A.
Botha, A.J. *see* Shipper, G.
Bourithis, L. *see* Darabara, M.
Brandt, M. *see* Gernhardt, C.R.
Breschi, L. *see* Foschi, F.
Buschang, P.H. *see* Menhinick, K.A.

Calberson, F.L.G., Deroose, C.A.J.G., Hommez, G.M.G. & De Moor, R.J.G. Shaping ability of ProTaper nickel-titanium files in simulated resin root canals, 613
Calberson, F.L.G. *see* De Moor, R.J.G.
Çalışkan, M.K. Prognosis of large cyst-like periapical lesions following nonsurgical root canal treatment: a clinical review, 408
Camargo, C.H.R. *see* Menezes, M.M.
Camilleri, J., Montesin, F.E., Papaioannou, S., McDonald, F. & Pitt Ford, T.R. Biocompatibility of two commercial forms of mineral trioxide aggregate, 699
Chandler, N.P. *see* Gordon, M.P.J.
Chang, Y.-C. *see* Yang, L.-C.
Chávez de Paz, L.E., Molander, A. & Dahlén, G. Gram-positive rods prevailing in teeth with apical periodontitis undergoing root canal treatment, 579
Chen, C.H. *see* Chen, Y.K.
Chen, K.L., Wu, Y.H. & Chen, Y.-H.M. Use of a molar clamp to isolate two adjacent single-rooted teeth: a clinical aid, 507
Chen, N.N. *see* Lui, J.N.
Chen, Y.-H.M. *see* Chen, K.L.
Chen, Y.K., Chen, C.H., Lin, C.C., Hsue, S.S., Lin, Y.R. & Lin, L.M. Central adenoid cystic carcinoma of the mandible manifesting as an endodontic lesion, 711
Cheung, G.S.P. *see* Wang, Q.
Çiçek, Y. *see* Özgöz, M.
Claeys, G. *see* Hommez, G.M.G.
Claffey, N.M. *see* Omer, O.E.
Cleaton-Jones, P.E. *see* Shipper, G.

© 2004 International Endodontic Journal

Covey, D. *see* Jarrett, I.S.
Cruz, E.V. *see* Takushige, T.
Cunnington, S.A. *see* Bailey, G.C.

Dahlén, G. *see* Chávez de Paz, L.E.
Darabara, M., Bourithis, L., Zinelis, S. & Papadimitriou, G.D. Susceptibility to localized corrosion of stainless steel and NiTi endodontic instruments in irrigating solutions, 705
De Bruyne, M.A.A. & De Moor, R.J.G. The use of glass ionomer cements in both conventional and surgical endodontics, 91
De Moor, R.J.G., Deroose, C.A.J.G. & Calberson, F.L.G. The radix entomolaris in mandibular first molars: an endodontic challenge, 789
De Moor, R.J.G. *see* Calberson, F.L.G.
De Moor, R.J.G. *see* De Bruyne, M.A.A.
De Moor, R.J.G. *see* Hommez, G.M.G.
Del Fabbro, M. *see* Taschieri, S.
Demarchi, A.C.C.de O. *see* Duarte, M.A.H.
Demirbaş Kaya, A., Aktener, B.O. & Ünsal, Ç. Pulpal necrosis with sickle cell anaemia, 602
Deroose, C.A.J.G. *see* Calberson, F.L.G.
Deroose, C.A.J.G. *see* De Moor, R.J.G.
Dickson, M. *see* Smith, E.
Doğan, C. *see* Yoldaş, O.
Domínguez-Mejía, J.S. *see* Tobón-Arroyave, S.I.
Drucker, D.B. *see* Pinheiro, E.T.
Drucker, D.B. *see* Radcliffe, C.E.
Duarte, M.A.H., Demarchi, A.C.C. de O. & de Moraes, I.G. Determination of pH and calcium ion release provided by pure and calcium hydroxide-containing AHPlus, 42
Dummer, M.H. Editorial, 805

Ebner, J.P. *see* Velvart, P.
Ebner-Zimmermann, U. *see* Velvart, P.
Eghbal, M.J. *see* Parirokh, M.
Emshoff, I. *see* Emshoff, R.
Emshoff, R., Emshoff, I., Moschen, I. & Strobl, H. Laser Doppler flow measurements of pulpal blood flow and severity of dental injury, 463
Eppendorf, K. *see* Gernhardt, C.R.
Evans, A.L. *see* Smith, E.

Fan, B. *see* Song, Y.L.
Fan, M.W. *see* Song, Y.L.
Favero, L. *see* Piattelli, A.
Ferrari, M. *see* Grandini, S.
Ferraz, C.C.R. *see* Pinheiro, E.T.
Ferreira, A.L. *see* Ferreira, F.B.A.
Ferreira, F.B.A., Ferreira, A.L., Gomes, B.P.F.A. & Souza-Filho, F.J. Resolution of persistent periapical infection by endodontic surgery, 61
Field, J.W., Gutmann, J.L., Solomon, E.S. & Rakusin, H. A clinical radiographic retrospective assessment of the success rate of single-visit root canal treatment, 70
Figueiredo, J.A.P. *see* Biz, M.T.
Figueiredo, J.A.P. *see* Okino, L.A.
Figueiredo, J.A.P. *see* Vier, F.V.
Fioroni, M. *see* Piattelli, A.
Firic, S. *see* Iqbal, M.K.
Fischer, M.B. *see* Gruber, R.
Fishelberg, G. Clinical response to a vacant post space, 199
Flórez-Moreno, G.A. *see* Tobón-Arroyave, S.I.
Foschi, F., Nucci, C., Montebugnoli, L., Marchionni, S., Breschi, L., Malagnino, V.A. & Prati, C. SEM evaluation of canal wall dentine following use of M*two* and ProTaper NiTi rotary instruments, 832
Fox, K., Wood, D.J. & Youngson, C.C. A clinical report of 85 fractured metallic post-retained crowns, 561
Foxton, R.M. *see* Hiraishi, N.
Fraga, S.C. *see* Nary Filho, H.
Francetti, L. *see* Taschieri, S.
Fristad, I., Molven, O. & Halse, A. Nonsurgically retreated root filled teeth – radiographic findings after 20–27 years, 12
Fujishima, T. *see* Kwon, T.Y.

Garcia-Otero, D. *see* Azabal, M.
Georgopoulou, M.K. *see* Kontakiotis, E.G.
Gernhardt, C.R., Eppendorf, K., Kozlowski, A. & Brandt, M. Toxicity of concentrated sodium hypochlorite used as an endodontic irrigant, 272
Ghori, S. *see* Gulabivala, K.
Glennon, J. *see* Omer, O.E.
Glennon, J.P., Ng, Y.-L., Setchell, D.J. & Gulabivala, K. Prevalence of and factors affecting postpreparation pain in patients undergoing two-visit root canal treatment, 29
Glennon, J.P. *see* Ng, Y.-L.
Gomes, B.P.F.A. *see* Ferreira, F.B.A.
Gomes, B.P.F.A. *see* Pinheiro, E.T.
Gonçales, E.S. *see* Nary Filho, H.
González-López, S. *see* Machado-Silveiro, L.F.
González-Rodríguez, M.P. *see* Machado-Silveiro, L.F.
Goracci, C. *see* Grandini, S.
Gordon, M.P.J. & Chandler, N.P. Electronic apex locators, 425
Gound, T. *see* Jarrett, I.S.
Grandini, S., Sapio, S., Goracci, C., Monticelli, F. & Ferrari, M. A one step procedure for luting glass fibre posts: an SEM evaluation, 679
Grossman, E.S. *see* Shipper, G.
Gruber, R., Jindra, C., Kandler, B., Watzak, G., Fischer, M.B. & Watzek, G. Proliferation of dental pulp fibroblasts in response to thrombin involves mitogen-activated protein kinase signalling, 145
Gulabivala, K., Stock, C.J.R., Lewsey, J.D., Ghori, S., Ng, Y.-L. & Spratt, D.A. Effectiveness of electrochemically activated water as an irrigant in an infected tooth model, 624
Gulabivala, K. *see* Adib, V.
Gulabivala, K. *see* Bailey, G.C.

© 2004 International Endodontic Journal

Gulabivala, K. *see* Glennon, J.P.
Gulabivala, K. *see* Ng, Y.-L.
Güneri, P. & Akdeniz, B.G. Fraudulent management of digital endodontic images, 214
Gutmann, J.L. *see* Field, J.W.
Gutmann, J.L. *see* Menhinick, K.A.
Gutmann, J.L. *see* Song, Y.L.

Haapasalo, M. *see* Saleh, I.M.
Habahbeh, N. *see* Radcliffe, C.E.
Halse, A. & Molven, O. Increased width of the apical periodontal membrane space in endodontically treated teeth may represent favourable healing, 552
Halse, A. *see* Fristad, I.
Hamano, H. *see* Muramatsu, T.
Hamasha, A.A. & Alomari, Q.D. Prevalence of dens invaginatus in Jordanian adults, 307
Hiraishi, N., Kitasako, Y., Nikaido, T., Foxton, R.M., Tagami, J. & Nomura, S. Detection of acid diffusion through bovine dentine after adhesive application, 455
Hoer, D. & Attin, T. The accuracy of electronic working length determination, 125
Hommez, G.M.G., Verhelst, R., Claeys, G., Vaneechoutte, M. & De Moor, R.J.G. Investigation of the effect of the coronal restoration quality on the composition of the root canal microflora in teeth with apical periodontitis by means of T-RFLP analysis, 819
Hommez, G.M.G. *see* Calberson, F.L.G.
Hoshino, E. *see* Takushige, T.
Hosoya, N., Kurayama, H., Iino, F. & Arai, T. Effects of calcium hydroxide on physical and sealing properties of canal sealers, 178
Hsiao, G.Y.-W. *see* Park, S.H.
Hsue, S.S. *see* Chen, Y.K.
Huang, F.-M. *see* Yang, L.-C.
Huang, G.T.-J. *see* Park, S.H.
Hülsmann, M. & Bluhm, V. Efficacy, cleaning ability and safety of different rotary NiTi instruments in root canal retreatment, 468

Ide, Y. *see* Oi, T.
Iino, F. *see* Hosoya, N.
Imai, Y. *see* Kwon, T.Y.
Inoue, T. *see* Muramatsu, T.
Iqbal, M.K., Firic, S., Tulcan, J., Karabucak, B. & Kim, S. Comparison of apical transportation between ProFile™ and ProTaper™ NiTi rotary instruments, 359

Jarrett, I.S., Marx, D., Covey, D., Karmazin, M., Lavin, M. & Gound, T. Percentage of canals filled in apical cross sections – an *in vitro* study of seven obturation techniques, 392
Jennings, M. *see* Omer, O.E.
Jiménez-Pinzón, A., Segura-Egea, J.J., Poyato-Ferrera, M., Velasco-Ortega, E. & Ríos-Santos, J.V. Prevalence of apical periodontitis and frequency of root-filled teeth in an adult Spanish population, 167
Jiménez-Pinzón, A. *see* Segura-Egea, J.J.
Jindra, C. *see* Gruber, R.
Jorge, A.O.C. *see* Menezes, M.M.
Jung, M. Endodontic treatment of dens invaginatus type III with three root canals and open apical foramen, 205

Kakoei, S. *see* Parirokh, M.
Kandler, B. *see* Gruber, R.
Karabucak, B. *see* Iqbal, M.K.
Karmazin, M. *see* Jarrett, I.S.
Katz, A. *see* Tagger, M.
Kielbassa, A.M. *see* Bitter, K.
Kim, S. *see* Iqbal, M.K.
Kitasako, Y. *see* Hiraishi, N.
Koga-Ito, C.Y. *see* Menezes, M.M.
Kontakiotis, E.G., Lagoudakos, T.A. & Georgopoulou, M.K. The influence of root-end resection and root-end cavity preparation on microleakage of root filled teeth *in vitro*, 403
Kozlowski, A. *see* Gernhardt, C.R.
Kulkarni, G.G.K. *see* Best, S.
Kulkarni, G.K. *see* Yared, G.
Kurayama, H. *see* Hosoya, N.
Kwon, T.Y., Fujishima, T. & Imai, Y. FT-Raman spectroscopy of calcium hydroxide medicament in root canals, 489

Lagoudakos, T.A. *see* Kontakiotis, E.G.
Lai, C.-C. *see* Yang, L.-C.
Lavin, M. *see* Jarrett, I.S.
Lea, S.C. *see* Tomson, P.L.M.
Lee, G.P., Lee, M.Y., Lum, S.O.Y., Poh, R.S.C. & Lim, K.-C. Extraradicular diffusion of hydrogen peroxide and pH changes associated with intracoronal bleaching of discoloured teeth using different bleaching agents, 500
Lee, G.P. *see* Lim, M.Y.
Lee, M.Y. *see* Lee, G.P.
Lee, S.-J., Wu, M.-K. & Wesselink, P.R. The effectiveness of syringe irrigation and ultrasonics to remove debris from simulated irregularities within prepared root canal walls, 672
Lee, S.-J., Wu, M.-K. & Wesselink, P.R. The efficacy of ultrasonic irrigation to remove artificially placed dentine debris from different-sized simulated plastic root canals, 607
Lewsey, J.D. *see* Gulabivala, K.
Lim, K.-C. *see* Lee, G.P.
Lim, K.-C. *see* Lim, M.Y.
Lim, M.Y., Lum, S.O.Y., Poh, R.S.C., Lee, G.P. & Lim, K.-C. An *in vitro* comparison of the bleaching efficacy of 35% carbamide peroxide with established intracoronal bleaching agents, 483
Lin, C.C. *see* Chen, Y.K.
Lin, L.M. *see* Chen, Y.K.

© 2004 International Endodontic Journal

Lin, Y.R. *see* Chen, Y.K.
Linsuwanont, P., Parashos, P. & Messer, H.H. Cleaning of rotary nickel–titanium endodontic instruments, 19
Liu, C.-M. *see* Yang, L.-C.
Love, R.M. *see* Ayar, L.R.
Love, R.M. *see* Turner, S.R.
Loyola, A.M. *see* Sousa, C.J.A.
Lui, J.N., Sae-Lim, V., Song, K.P. & Chen, N.N. *In vitro* antimicrobial effect of chlorhexidine-impregnated gutta percha points on *Enterococcus faecalis*, 105
Lum, S.O.Y. *see* Lee, G.P.
Lum, S.O.Y. *see* Lim, M.Y.
Lumley, P.J. *see* Tomson, P.L.M.
Lyons, K.M. *see* Turner, S.R.

McDonald, F. *see* Camilleri, J.
Machado-Silveiro, L.F., González-López, S. & González-Rodríguez, M.P. Decalcification of root canal dentine by citric acid, EDTA and sodium citrate, 365
de la Macorra, J.C. *see* Azabal, M.
Malagnino, V.A. *see* Foschi, F.
Mancini, M.N.G. *see* Benetti, A.R.
Mancini, M.N.G. *see* Menezes, M.M.
Marchionni, S. *see* Foschi, F.
Martin, D.M. *see* Bedford, J.M.
Martinez, E.F. & Araújo, V.C. *In vitro* immunoexpression of extracellular matrix proteins in dental pulpal and gingival human fibroblasts, 749
Martus, P. *see* Bitter, K.
Marx, D. *see* Jarrett, I.S.
Matsumoto, M.A. *see* Nary Filho, H.
Menezes, M.M., Valera, M.C., Jorge, A.O.C., Koga-Ito, C.Y., Camargo, C.H.R. & Mancini, M.N.G. *In vitro* evaluation of the effectiveness of irrigants and intracanal medicaments on microorganisms within root canals, 311
Menhinick, K.A., Gutmann, J.L., Regan, J.D., Taylor, S.E. & Buschang, P.H. The efficacy of pain control following nonsurgical root canal treatment using ibuprofen or a combination of ibuprofen and acetaminophen in a randomized, double-blind, placebo-controlled study, 531
Messer, H.H. *see* Linsuwanont, P.
Messer, H.H. *see* Parashos, P.
Messer, H.H. *see* Weis, M.V.
Miranda, C.B. *see* Benetti, A.R.
Molander, A. *see* Chávez de Paz, L.E.
Molven, O. *see* Fristad, I.
Molven, O. *see* Halse, A.
Montebugnoli, L. *see* Foschi, F.
Montesin, F.E. *see* Camilleri, J.
Monticelli, F. *see* Grandini, S.
de Moraes, I.G. *see* Duarte, M.A.H.
Moschen, I. *see* Emshoff, R.
Muramatsu, T., Hamano, H., Ogami, K., Ohta, K., Inoue, T. & Shimono, M. Reduction of connexin 43 expression in aged human dental pulp, 814
Murray, C.A. *see* Smith, E.

Nalçacı, A., Öztan, M.D. & Yılmaz, Ş. Cytotoxicity of composite resins polymerized with different curing methods, 151
Nary Filho, H., Matsumoto, M.A., Fraga, S.C., Gonçales, E.S. & Sérvulo, F. Periapical radiolucency mimicking an odontogenic cyst, 337
Newcombe, R.G. CONSORT guidelines applied to an exemplar paper, 3
Newcombe, R.G. Reporting of clinical trials in the *International Endodontic Journal* – the CONSORT guidelines, 1
Ng, R.P.Y. *see* Wang, Q.
Ng, Y.-L., Glennon, J.P., Setchell, D.J. & Gulabivala, K. Prevalence of and factors affecting post-obturation pain in patients undergoing root canal treatment, 381
Ng, Y.-L. *see* Adib, V.
Ng, Y.-L. *see* Bailey, G.C.
Ng, Y.-L. *see* Glennon, J.P.
Ng, Y.-L. *see* Gulabivala, K.
Nikaido, T. *see* Hiraishi, N.
Nomura, S. *see* Hiraishi, N.
Nowzari, H. *see* Slots, J.
Nucci, C. *see* Foschi, F.

Ogami, K. *see* Muramatsu, T.
Ohta, K. *see* Muramatsu, T.
Oi, T., Saka, H. & Ide, Y. Three-dimensional observation of pulp cavities in the maxillary first premolar tooth using micro-CT, 46
Okino, L.A., Siqueira, E.L., Santos, M., Bombana, A.C. & Figueiredo, J.A.P. Dissolution of pulp tissue by aqueous solution of chlorhexidine digluconate and chlorhexidine digluconate gel, 38
Oliveira, R.P. *see* Sousa, C.J.A.
Omer, O.E., Al Shalabi, R.M., Jennings, M., Glennon, J. & Claffey, N.M. A comparison between clearing and radiographic techniques in the study of the root-canal anatomy of maxillary first and second molars, 291
Ørstavik, D. *see* Saleh, I.M.
Özer, F. *see* Ozturk, B.
Özgöz, M., Yağiz, H., Çiçek, Y. & Tezel, A. Gingival necrosis following the use of a paraformaldehyde-containing paste: a case report, 157
Öztan, M.D. *see* Nalçacı, A.
Ozturk, B., Özer, F. & Belli, S. An *in vitro* comparison of adhesive systems to seal pulp chamber walls, 297

Papadimitriou, G.D. *see* Darabara, M.
Papaioannou, S. *see* Camilleri, J.
Parashos, P. & Messer, H.H. Questionnaire survey on the use of rotary nickel–titanium endodontic instruments by Australian dentists, 249
Parashos, P. *see* Linsuwanont, P.
Parashos, P. *see* Weis, M.V.
Parirokh, M., Asgary, S., Eghbal, M.J., Stowe, S. & Kakoei, S. A scanning electron microscope study of

© 2004 International Endodontic Journal

plaque accumulation on silk and PVDF suture materials in oral mucosa, 776
Paris, S. *see* Bitter, K.
Park, D.S. *see* Seo, M.S.
Park, S.H., Hsiao, G.Y.-W. & Huang, G.T.-J. Role of substance P and calcitonin gene-related peptide in the regulation of interleukin-8 and monocyte chemotactic protein-1 expression in human dental pulp, 185
Pascon, E.A. *see* Sousa, C.J.A.
Peng, B. *see* Song, Y.L.
Peters, C.I. *see* Peters, O.A.
Peters, O.A., Barbakow, F. & Peters, C.I. An analysis of endodontic treatment with three nickel-titanium rotary root canal preparation techniques, 849
Piattelli, A., Rubini, C., Fioroni, M., Favero, L. & Strocchi, R. Expression of transforming growth factor-beta 1 (TGF-beta 1) in odontogenic cysts, 7
Piattelli, A., Rubini, C., Fioroni, M., Tripodi, D. & Strocchi, R. Transforming Growth Factor-beta 1 (TGF-beta 1) expression in normal healthy pulps and in those with irreversible pulpitis, 114
Pilliar, R. *see* Best, S.
Pinheiro, E.T., Gomes, B.P.F.A., Drucker, D.B., Zaia, A.A., Ferraz, C.C.R. & Souza-Filho, F.J. Antimicrobial susceptibility of *Enterococcus faecalis* isolated from canals of root filled teeth with periapical lesions, 756
Pitt Ford, T.R. *see* Camilleri, J.
Poh, R.S.C. *see* Lee, G.P.
Poh, R.S.C. *see* Lim, M.Y.
Potouridou, L. *see* Radcliffe, C.E.
Poyato-Ferrera, M. *see* Jiménez-Pinzón, A.
Poyato-Ferrera, M. *see* Segura-Egea, J.J.
Prati, C. *see* Foschi, F.

Qualtrough, A. *see* Radcliffe, C.E.
Qureshi, R. *see* Radcliffe, C.E.

Radcliffe, C.E., Potouridou, L., Qureshi, R., Habahbeh, N., Qualtrough, A., Worthington, H. & Drucker, D.B. Antimicrobial activity of varying concentrations of sodium hypochlorite on the endodontic microorganisms *Actinomyces israelii*, *A. naeslundii*, *Candida albicans* and *Enterococcus faecalis*, 438
Rakusin, H. *see* Field, J.W.
Regan, J.D. *see* Menhinick, K.A.
Reit, C. *see* Bjørndal, L.
Ríos-Santos, J.V. *see* Jiménez-Pinzón, A.
Ríos-Santos, J.V. *see* Segura-Egea, J.J.
Rubini, C. *see* Piattelli, A.
Ruyter, I.E. *see* Saleh, I.M.

Sabeti, M. *see* Slots, J.
Sae-Lim, V. *see* Lui, J.N.
Saka, H. *see* Oi, T.
Saleh, I.M., Ruyter, I.E., Haapasalo, M. & Ørstavik, D. Survival of *Enterococcus faecalis* in infected dentinal tubules after root canal filling with different root canal sealers *in vitro*, 193
Santos, M. *see* Okino, L.A.
Sapio, S. *see* Grandini, S.
Schäfer, E. & Vlassis, M. Comparative investigation of two rotary nickel–titanium instruments: ProTaper versus RaCe. Part 1. Shaping ability in simulated curved canals, 229
Schäfer, E. & Vlassis, M. Comparative investigation of two rotary nickel–titanium instruments: ProTaper versus RaCe. Part 2. Cleaning effectiveness and shaping ability in severely curved root canals of extracted teeth, 239
Schartner, R. *see* Bitter, K.
Segura-Egea, J.J., Jiménez-Pinzón, A., Poyato-Ferrera, M., Velasco-Ortega, E. & Ríos-Santos, J.V. Periapical status and quality of root fillings and coronal restorations in an adult Spanish population, 525
Segura-Egea, J.J. *see* Jiménez-Pinzón, A.
Seo, M.S. & Park, D.S. C-shaped root canals of mandibular second molars in a Korean population: clinical observation and *in vitro* analysis, 139
Sert, S., Aslanalp, V. & Tanalp, J. Investigation of the root canal configurations of mandibular permanent teeth in the Turkish population, 494
Sérvulo, F. *see* Nary Filho, H.
Setchell, D.J. *see* Bailey, G.C.
Setchell, D.J. *see* Glennon, J.P.
Setchell, D.J. *see* Ng, Y.-L.
Seydaoğlu, G. *see* Yoldaş, O.
Shimono, M. *see* Muramatsu, T.
Shipper, G., Grossman, E.S., Botha, A.J. & Cleaton-Jones, P.E. Marginal adaptation of mineral trioxide aggregate (MTA) compared with amalgam as a root-end filling material: a low-vacuum (LV) versus high-vacuum (HV) SEM study, 325
Siqueira, E.L. *see* Okino, L.A.
Slots, J., Nowzari, H. & Sabeti, M. Cytomegalovirus infection in symptomatic periapical pathosis, 519
Smith, D. *see* Smith, E.
Smith, E., Dickson, M., Evans, A.L., Smith, D. & Murray, C.A. An evaluation of the use of tooth temperature to assess human pulp vitality, 374
Solomon, E.S. *see* Field, J.W.
Song, K.P. *see* Lui, J.N.
Song, Y.L., Bian, Z., Fan, B., Fan, M.W., Gutmann, J.L. & Peng, B. A comparison of instrument-centering ability within the root canal for three contemporary instrumentation techniques, 265
Sousa, C.J.A., Loyola, A.M., Versiani, M.A., Biffi, J.C.G., Oliveira, R.P. & Pascon, E.A. A comparative histological evaluation of the biocompatibility of materials used in apical surgery, 738
Souza-Filho, F.J. *see* Ferreira, F.B.A.
Souza-Filho, F.J. *see* Pinheiro, E.T.
Spratt, D. *see* Adib, V.
Spratt, D.A. *see* Gulabivala, K.

© 2004 International Endodontic Journal

Stock, C.J.R. *see* Gulabivala, K.
Stowe, S. *see* Parirokh, M.
Strobl, H. *see* Emshoff, R.
Strocchi, R. *see* Piattelli, A.
Su, Y.-F. *see* Yang, L.-C.

Tagami, J. *see* Hiraishi, N.
Tagger, M. & Katz, A. A standard for radiopacity of root-end (retrograde) filling materials is urgently needed, 260
Takushige, T., Cruz, E.V., Asgor Moral, A. & Hoshino, E. Endodontic treatment of primary teeth using a combination of antibacterial drugs, 132
Tanalp, J. *see* Sert, S.
Taschieri, S., Del Fabbro, M., Francetti, L. & Testori, T. Effect of root-end resection and root-end filling on apical leakage in the presence of core-carrier root canal obturation, 477
Taylor, S.E. *see* Menhinick, K.A.
Testori, T. *see* Taschieri, S.
Tezel, A. *see* Özgöz, M.
Tobón-Arroyave, S.I., Domínguez-Mejía, J.S. & Flórez-Moreno, G.A. Periosteal grafts as barriers in periradicular surgery: report of two cases, 632
Tomson, P.L.M., Lea, S.C., Lumley, P.J. & Walmsley, A.D. 2003 Spring Scientific Meeting of the British Endodontic Society, 89
Tripodi, D. *see* Piattelli, A.
Tsai, C.-H. *see* Yang, L.-C.
Tsurumachi, T. Endodontic treatment of an invaginated maxillary lateral incisor with a periradicular lesion and a healthy pulp, 717
Tulcan, J. *see* Iqbal, M.K.
Türkün, L.Ş. *see* Türkün, M.
Türkün, M. & Türkün, L.Ş. Effect of nonvital bleaching with 10% carbamide peroxide on sealing ability of resin composite restorations, 52
Turner, S.R., Love, R.M. & Lyons, K.M. An *in-vitro* investigation of the antibacterial effect of nisin in root canals and canal wall radicular dentine, 664

Ünsal, Ç. *see* Demirbaş Kaya, A.

Valera, M.C. *see* Benetti, A.R.
Valera, M.C. *see* Menezes, M.M.
Vaneechoutte, M. *see* Hommez, G.M.G.
Velasco-Ortega, E. *see* Jiménez-Pinzón, A.
Velasco-Ortega, E. *see* Segura-Egea, J.J.
Velvart, P., Ebner-Zimmermann, U. & Ebner, J.P. Comparison of long-term papilla healing following sulcular full thickness flap and papilla base flap in endodontic surgery, 687
Verhelst, R. *see* Hommez, G.M.G.
Versiani, M.A. *see* Sousa, C.J.A.
Vier, F.V. & Figueiredo, J.A.P. Internal apical resorption and its correlation with the type of apical lesion, 730
Vlassis, M. *see* Schäfer, E.
Vulcain, J.M. *see* Arbab-Chirani, R.

Walmsley, A.D. *see* Tomson, P.L.M.
Wang, Q., Cheung, G.S.P. & Ng, R.P.Y. Survival of surgical endodontic treatment performed in a dental teaching hospital: a cohort study, 764
Watson, P. *see* Best, S.
Watzak, G. *see* Gruber, R.
Watzek, G. *see* Gruber, R.
Weis, M.V., Parashos, P. & Messer, H.H. Effect of obturation technique on sealer cement thickness and dentinal tubule penetration, 653
Wesselink, P.R. *see* Lee, S.-J.
Wood, D.J. *see* Fox, K.
Worthington, H. *see* Radcliffe, C.E.
Wu, M.-K. *see* Lee, S.-J.
Wu, Y.H. *see* Chen, K.L.

Yağiz, H. *see* Özgöz, M.
Yang, L.-C., Tsai, C.-H., Huang, F.-M., Su, Y.-F., Lai, C.-C., Liu, C.-M. & Chang, Y.-C. Induction of vascular endothelial growth factor expression in human pulp fibroblasts stimulated with black-pigmented *Bacteroides*, 588
Yared, G. & Kulkarni, G.K. Accuracy of the DTC torque control motor for nickel-titanium rotary instruments, 399
Yared, G. *see* Best, S.
Yılmaz, Ş. *see* Nalçacı, A.
Yoldaş, O., Doğan, C. & Seydaoğlu, G. The effect of two different calcium hydroxide combinations on root dentine microhardness, 828
Youngson, C.C. *see* Bedford, J.M.
Youngson, C.C. *see* Fox, K.

Zaia, A.A. *see* Pinheiro, E.T.
Zinelis, S. *see* Darabara, M.

© 2004 International Endodontic Journal

Keyword Index

accuracy, Accuracy of the DTC torque control motor for nickel-titanium rotary instruments, 399
acetaminophen, The efficacy of pain control following nonsurgical root canal treatment using ibuprofen or a combination of ibuprofen and acetaminophen in a randomized, double-blind, placebo-controlled study, 531
Actinomyces israelii, Antimicrobial activity of varying concentrations of sodium hypochlorite on the endodontic microorganisms *Actinomyces israelii*, *A. naeslundii*, *Candida albicans* and *Enterococcus faecalis*, 438
Actinomyces naeslundii, Antimicrobial activity of varying concentrations of sodium hypochlorite on the endodontic microorganisms *Actinomyces israelii*, *A. naeslundii*, *Candida albicans* and *Enterococcus faecalis*, 438
activ point, *In vitro* antimicrobial effect of chlorhexidine-impregnated gutta percha points on *Enterococcus faecalis*, 105
adenoid cystic carcinoma, Central adenoid cystic carcinoma of the mandible manifesting as an endodontic lesion, 711
adhesive resin, Effect of nonvital bleaching with 10% carbamide peroxide on sealing ability of resin composite restorations, 52
ageing, Reduction of connexin 43 expression in aged human dental pulp, 814
AHPlus, Determination of pH and calcium ion release provided by pure and calcium hydroxide-containing AHPlus, 42
'all-in-one' adhesive system, Detection of acid diffusion through bovine dentine after adhesive application, 455
amalgam, Marginal adaptation of mineral trioxide aggregate (MTA) compared with amalgam as a root-end filling material: a low-vacuum (LV) versus high-vacuum (HV) SEM study, 325
anatomical variations, The radix entomolaris in mandibular first molars: an endodontic challenge, 789
antibacterial, Effectiveness of electrochemically activated water as an irrigant in an infected tooth model, 624
antimicrobial, Antimicrobial activity of varying concentrations of sodium hypochlorite on the endodontic microorganisms *Actinomyces israelii*, *A. naeslundii*, *Candida albicans* and *Enterococcus faecalis*, 438
antimicrobial effect, *In vitro* antimicrobial effect of chlorhexidine-impregnated gutta percha points on *Enterococcus faecalis*, 105
antimicrobial susceptibility, Antimicrobial susceptibility of *Enterococcus faecalis* isolated from canals of root filled teeth with periapical lesions, 756
antioxidant, Effect of nonvital bleaching with 10% carbamide peroxide on sealing ability of resin composite restorations, 52
apex locator, The accuracy of electronic working length determination, 125
apex locators, Electronic apex locators, 425
apexification, Endodontic treatment of dens invaginatus type III with three root canals and open apical foramen, 205
apical cross-sections, Percentage of canals filled in apical cross sections – an *in vitro* study of seven obturation techniques, 392
apical periodontitis, Periapical status and quality of root fillings and coronal restorations in an adult Spanish population, 525
Prevalence of apical periodontitis and frequency of root-filled teeth in an adult Spanish population, 167
apical periodontitis, Investigation of the effect of the coronal restoration quality on the composition of the root canal microflora in teeth with apical periodontitis by means of T-RFLP analysis, 819
apical root resorption, Internal apical resorption and its correlation with the type of apical lesion, 730
apical surgery, Comparison of long-term papilla healing following sulcular full thickness flap and papilla base flap in endodontic surgery, 687
A comparative histological evaluation of the biocompatibility of materials used in apical surgery, 738
apicectomy, The influence of root-end resection and root-end cavity preparation on microleakage of root filled teeth *in vitro*, 403
apicoectomy, A standard for radiopacity of root-end (retrograde) filling materials is urgently needed, 260
apicomarginal communication, Periosteal grafts as barriers in periradicular surgery: report of two cases, 632

bacteria, Cultivable microbial flora associated with persistent periapical disease and coronal leakage after root canal treatment: a preliminary study, 542
bacterial analysis, Investigation of the effect of the coronal restoration quality on the composition of the root canal microflora in teeth with apical periodontitis by means of T-RFLP analysis, 819
bacterial resistance, Gram-positive rods prevailing in teeth with apical periodontitis undergoing root canal treatment, 579

© 2004 International Endodontic Journal

benign neoplasms, Periapical radiolucency mimicking an odontogenic cyst, 337
biocompatibility, A comparative histological evaluation of the biocompatibility of materials used in apical surgery, 738
Biocompatibility of two commercial forms of mineral trioxide aggregate, 699
black-pigmented *Bacteroides*, Induction of vascular endothelial growth factor expression in human pulp fibroblasts stimulated with black-pigmented *Bacteroides*, 588
bleaching, Effect of nonvital bleaching with 10% carbamide peroxide on sealing ability of resin composite restorations, 52
blood flow, An evaluation of the use of tooth temperature to assess human pulp vitality, 374
bonding, A one step procedure for luting glass fibre posts: an SEM evaluation, 679
bovine dentine, Detection of acid diffusion through bovine dentine after adhesive application, 455

calcitonin gene-related peptide, Role of substance P and calcitonin gene-related peptide in the regulation of interleukin-8 and monocyte chemotactic protein-1 expression in human dental pulp, 185
calcium carbonate, FT-Raman spectroscopy of calcium hydroxide medicament in root canals, 489
calcium hydroxide, An *in-vitro* investigation of the antibacterial effect of nisin in root canals and canal wall radicular dentine, 664
Determination of pH and calcium ion release provided by pure and calcium hydroxide-containing AHPlus, 42
Effects of calcium hydroxide on physical and sealing properties of canal sealers, 178
FT-Raman spectroscopy of calcium hydroxide medicament in root canals, 489
In vitro evaluation of the effectiveness of irrigants and intracanal medicaments on microorganisms within root canals, 311
Prognosis of large cyst-like periapical lesions following nonsurgical root canal treatment: a clinical review, 408
Survival of *Enterococcus faecalis* in infected dentinal tubules after root canal filling with different root canal sealers *in vitro*, 193
The effect of two different calcium hydroxide combinations on root dentine microhardness, 828
canal curvature, Comparative investigation of two rotary nickel–titanium instruments: ProTaper versus RaCe. Part 2. Cleaning effectiveness and shaping ability in severely curved root canals of extracted teeth, 239
canal shape, Shaping ability of ProTaper nickel-titanium files in simulated resin root canals, 613
canal straightening, Comparative investigation of two rotary nickel–titanium instruments: ProTaper versus RaCe. Part 2. Cleaning effectiveness and shaping ability in severely curved root canals of extracted teeth, 239
canal transportation, Comparative investigation of two rotary nickel–titanium instruments: ProTaper versus RaCe. Part 1. Shaping ability in simulated curved canals, 229
Shaping ability of ProFile and K3 rotary Ni-Ti instruments when used in a variable tip sequence in simulated curved root canals, 593
Candida albicans, Antimicrobial activity of varying concentrations of sodium hypochlorite on the endodontic microorganisms *Actinomyces israelii*, *A. naeslundii*, *Candida albicans* and *Enterococcus faecalis*, 438
In vitro evaluation of the effectiveness of irrigants and intracanal medicaments on microorganisms within root canals, 311
carbamide peroxide, An *in vitro* comparison of the bleaching efficacy of 35% carbamide peroxide with established intracoronal bleaching agents, 483
Effect of nonvital bleaching with 10% carbamide peroxide on sealing ability of resin composite restorations, 52
Extraradicular diffusion of hydrogen peroxide and pH changes associated with intracoronal bleaching of discoloured teeth using different bleaching agents, 500
In vitro penetration of bleaching agents into the pulp chamber, 105
case report, Endodontic treatment of dens invaginatus type III with three root canals and open apical foramen, 205
cDNA, Cytomegalovirus infection in symptomatic periapical pathosis, 519
cell culture, Biocompatibility of two commercial forms of mineral trioxide aggregate, 699
centering ratio, A comparison of instrument-centering ability within the root canal for three contemporary instrumentation techniques, 265
central giant cell lesion, Periapical radiolucency mimicking an odontogenic cyst, 337
chlorhexidine, Dissolution of pulp tissue by aqueous solution of chlorhexidine digluconate and chlorhexidine digluconate gel, 38
In vitro evaluation of the effectiveness of irrigants and intracanal medicaments on microorganisms within root canals, 311
cholesterol crystal, Prognosis of large cyst-like periapical lesions following nonsurgical root canal treatment: a clinical review, 408
cleaning of NiTi instruments, Cleaning of rotary nickel–titanium endodontic instruments, 19
cleaning, Cleaning of rotary nickel–titanium endodontic instruments, 19
clearing technique, A comparison between clearing and radiographic techniques in the study of the root-canal anatomy of maxillary first and second molars, 291

© 2004 International Endodontic Journal

clinical, A clinical radiographic retrospective assessment of the success rate of single-visit root canal treatment, 70
cohort study, An analysis of endodontic treatment with three nickel-titanium rotary root canal preparation techniques, 849
composite resin, Cytotoxicity of composite resins polymerized with different curing methods, 151
computerized, A standard for radiopacity of root-end (retrograde) filling materials is urgently needed, 260
confocal laser scanning microscopy, A Confocal Laser Scanning Microscope investigation of different dental adhesives bonded to root canal dentine, 840
connexin 43, Reduction of connexin 43 expression in aged human dental pulp, 814
conservative endodontic treatment, Endodontic treatment of dens invaginatus type III with three root canals and open apical foramen, 205
contamination, A scanning electron microscope study of plaque accumulation on silk and PVDF suture materials in oral mucosa, 776
contrast medium, Assessment of a contrast medium as an adjunct to endodontic radiography, 806
core-carrier obturation, Effect of root-end resection and root-end filling on apical leakage in the presence of core-carrier root canal obturation, 477
coronal leakage, An *in vitro* comparison of adhesive systems to seal pulp chamber walls, 297
coronal restoration, Periapical status and quality of root fillings and coronal restorations in an adult Spanish population, 525
coronal sealing, An *in vitro* comparison of adhesive systems to seal pulp chamber walls, 297
corrosion, Susceptibility to localized corrosion of stainless steel and NiTi endodontic instruments in irrigating solutions, 705
critical-point drying, Biocompatibility of two commercial forms of mineral trioxide aggregate, 699
cross-infection, Cleaning of rotary nickel–titanium endodontic instruments, 19
cross-section, The influence of root-end resection and root-end cavity preparation on microleakage of root filled teeth *in vitro*, 403
crowns, A clinical report of 85 fractured metallic post-retained crowns, 561
C-shaped canal, C-shaped root canals of mandibular second molars in a Korean population: clinical observation and *in vitro* analysis, 139
curved canal, A comparison of instrument-centering ability within the root canal for three contemporary instrumentation techniques, 265
curved root canals, Comparative investigation of two rotary nickel–titanium instruments: ProTaper versus RaCe. Part 1. Shaping ability in simulated curved canals, 229
cyst, Prognosis of large cyst-like periapical lesions following nonsurgical root canal treatment: a clinical review, 408
cytotoxicity, Cytotoxicity of composite resins polymerized with different curing methods, 151

debris, Comparative investigation of two rotary nickel–titanium instruments: ProTaper versus RaCe. Part 2. Cleaning effectiveness and shaping ability in severely curved root canals of extracted teeth, 239
decalcifying agents, Decalcification of root canal dentine by citric acid, EDTA and sodium citrate, 365
delayed restoration, Effect of nonvital bleaching with 10% carbamide peroxide on sealing ability of resin composite restorations, 52
dens invaginatus, Endodontic treatment of dens invaginatus type III with three root canals and open apical foramen, 205
Endodontic treatment of an invaginated maxillary lateral incisor with a periradicular lesion and a healthy pulp, 717
Prevalence of dens invaginatus in Jordanian adults, 307
dental bleaching, *In vitro* penetration of bleaching agents into the pulp chamber, 105
dental files, Morphometric analysis of shank-to-flute ratio in rotary nickel–titanium files, 353
dental pulp, Role of substance P and calcitonin gene-related peptide in the regulation of interleukin-8 and monocyte chemotactic protein-1 expression in human dental pulp, 185
dental pulp fibroblasts, Proliferation of dental pulp fibroblasts in response to thrombin involves mitogen-activated protein kinase signalling, 145
dental pulp stem cells, Proliferation of dental pulp fibroblasts in response to thrombin involves mitogen-activated protein kinase signalling, 145
dental pulp test, An evaluation of the use of tooth temperature to assess human pulp vitality, 374
An evaluation of the use of tooth temperature to assess human pulp vitality, 374
In vitro immunoexpression of extracellular matrix proteins in dental pulpal and gingival human fibroblasts, 749
Pulpal necrosis with sickle cell anaemia, 602
Reduction of connexin 43 expression in aged human dental pulp, 814
dental school, Undergraduate teaching and clinical use of rotary nickel–titanium endodontic instruments: a survey of French dental schools, 320
dental splint, Laser Doppler flow measurements of pulpal blood flow and severity of dental injury, 463
dental trauma, Laser Doppler flow measurements of pulpal blood flow and severity of dental injury, 463
dentine bonding agents/dental adhesives, A Confocal Laser Scanning Microscope investigation of different dental adhesives bonded to root canal dentine, 840
dentine debris, The efficacy of ultrasonic irrigation to remove artificially placed dentine debris from different-sized simulated plastic root canals, 607

© 2004 International Endodontic Journal

The effectiveness of syringe irrigation and ultrasonics to remove debris from simulated irregularities within prepared root canal walls, 672
dentine diffusion, Extraradicular diffusion of hydrogen peroxide and pH changes associated with intracoronal bleaching of discoloured teeth using different bleaching agents, 500
dentine, The effect of two different calcium hydroxide combinations on root dentine microhardness, 828
diagnosis, Internal apical resorption and its correlation with the type of apical lesion, 730
digital imaging, Fraudulent management of digital endodontic images, 214
drug effects, An *in vitro* comparison of the bleaching efficacy of 35% carbamide peroxide with established intracoronal bleaching agents, 483

E. faecalis, *In vitro* antimicrobial effect of chlorhexidine-impregnated gutta percha points on *Enterococcus faecalis*, 105
Survival of *Enterococcus faecalis* in infected dentinal tubules after root canal filling with different root canal sealers *in vitro*, 193
electrochemically activated water, Effectiveness of electrochemically activated water as an irrigant in an infected tooth model, 624
electronic apex locator, Accuracy of the Justy II Apex locator in determining working length in simulated horizontal and vertical fractures, 174
endodontic epidemiology, The annual frequency of root fillings, tooth extractions and pulp-related procedures in Danish adults during 1977–2003, 782
endodontic failure, Antimicrobial susceptibility of *Enterococcus faecalis* isolated from canals of root filled teeth with periapical lesions, 756
endodontic instruments, Cleaning of rotary nickel–titanium endodontic instruments, 19
endodontic irrigants, Toxicity of concentrated sodium hypochlorite used as an endodontic irrigant, 272
endodontic medicament, An *in-vitro* investigation of the antibacterial effect of nisin in root canals and canal wall radicular dentine, 664
endodontic retreatment, Cultivable microbial flora associated with persistent periapical disease and coronal leakage after root canal treatment: a preliminary study, 542
endodontic therapy, Gram-positive rods prevailing in teeth with apical periodontitis undergoing root canal treatment, 579
Prognosis of large cyst-like periapical lesions following nonsurgical root canal treatment: a clinical review, 408
endodontic treatment, Endodontic treatment of primary teeth using a combination of antibacterial drugs, 132
The radix entomolaris in mandibular first molars: an endodontic challenge, 789
endodontically treated teeth, A one step procedure for luting glass fibre posts: an SEM evaluation, 679
endodontics, A clinical report of 85 fractured metallic post-retained crowns, 561
Accuracy of the Justy II Apex locator in determining working length in simulated horizontal and vertical fractures, 174
Antimicrobial activity of varying concentrations of sodium hypochlorite on the endodontic microorganisms *Actinomyces israelii*, *A. naeslundii*, *Candida albicans* and *Enterococcus faecalis*, 438
Electronic apex locators, 425
Fraudulent management of digital endodontic images, 214
Investigation of the effect of the coronal restoration quality on the composition of the root canal microflora in teeth with apical periodontitis by means of T-RFLP analysis, 819
Periapical status and quality of root fillings and coronal restorations in an adult Spanish population, 525
Prevalence of apical periodontitis and frequency of root-filled teeth in an adult Spanish population, 167
Resolution of persistent periapical infection by endodontic surgery, 61
The accuracy of electronic working length determination, 125
endurance limit, Torsional fatigue and endurance limit of a size 30 .06 ProFile rotary instrument, 370
Enterococcus faecalis, An *in-vitro* investigation of the antibacterial effect of nisin in root canals and canal wall radicular dentine, 664
Antimicrobial activity of varying concentrations of sodium hypochlorite on the endodontic microorganisms *Actinomyces israelii*, *A. naeslundii*, *Candida albicans* and *Enterococcus faecalis*, 438
Antimicrobial susceptibility of *Enterococcus faecalis* isolated from canals of root filled teeth with periapical lesions, 756
In vitro evaluation of the effectiveness of irrigants and intracanal medicaments on microorganisms within root canals, 311
epidemiology, Prevalence of apical periodontitis and frequency of root-filled teeth in an adult Spanish population, 167
Epstein–Barr virus, Cytomegalovirus infection in symptomatic periapical pathosis, 519
ERK, Proliferation of dental pulp fibroblasts in response to thrombin involves mitogen-activated protein kinase signalling, 145
eucalyptol, Efficacy, cleaning ability and safety of different rotary NiTi instruments in root canal retreatment, 468
external resorption, Toxicity of concentrated sodium hypochlorite used as an endodontic irrigant, 272
extracellular matrix proteins, *In vitro* immunoexpression of extracellular matrix proteins in dental pulpal and gingival human fibroblasts, 749
extraradicular infection, Resolution of persistent periapical infection by endodontic surgery, 61

© 2004 International Endodontic Journal

failure, A clinical report of 85 fractured metallic post-retained crowns, 561
failure, Survival of surgical endodontic treatment performed in a dental teaching hospital: a cohort study, 764
fibre post, A one step procedure for luting glass fibre posts: an SEM evaluation, 679
fibre posts, A Confocal Laser Scanning Microscope investigation of different dental adhesives bonded to root canal dentine, 840
flap design, Comparison of long-term papilla healing following sulcular full thickness flap and papilla base flap in endodontic surgery, 687
flexmaster, Efficacy, cleaning ability and safety of different rotary NiTi instruments in root canal retreatment, 468
fluid filtration method, An *in vitro* comparison of adhesive systems to seal pulp chamber walls, 297
follicular cysts, Expression of transforming growth factor-beta 1 (TGF-beta 1) in odontogenic cysts, 7
fracture, Accuracy of the DTC torque control motor for nickel-titanium rotary instruments, 399
Morphometric analysis of shank-to-flute ratio in rotary nickel–titanium files, 353
frequency of root fillings, The annual frequency of root fillings, tooth extractions and pulp-related procedures in Danish adults during 1977–2003, 782
ft-Raman spectroscopy, FT-Raman spectroscopy of calcium hydroxide medicament in root canals, 489

gap junction, Reduction of connexin 43 expression in aged human dental pulp, 814
gingival fibroblasts, *In vitro* immunoexpression of extracellular matrix proteins in dental pulpal and gingival human fibroblasts, 749
glass ionomer cement, The use of glass ionomer cements in both conventional and surgical endodontics, 91
glycerine, The effect of two different calcium hydroxide combinations on root dentine microhardness, 828
GT rotary, Efficacy, cleaning ability and safety of different rotary NiTi instruments in root canal retreatment, 468
guided bone regeneration, Periosteal grafts as barriers in periradicular surgery: report of two cases, 632
gutta-percha removal, Efficacy, cleaning ability and safety of different rotary NiTi instruments in root canal retreatment, 468

healing, An analysis of endodontic treatment with three nickel-titanium rotary root canal preparation techniques, 849
Hedström files, Efficacy, cleaning ability and safety of different rotary NiTi instruments in root canal retreatment, 468
horizontal root fractures, Accuracy of the Justy II Apex locator in determining working length in simulated horizontal and vertical fractures, 174
human cytomegalovirus, Cytomegalovirus infection in symptomatic periapical pathosis, 519
human dental pulp fibroblast, *In vitro* immunoexpression of extracellular matrix proteins in dental pulpal and gingival human fibroblasts, 749
human, Reduction of connexin 43 expression in aged human dental pulp, 814
hybrid layer, A Confocal Laser Scanning Microscope investigation of different dental adhesives bonded to root canal dentine, 840
hydrogen peroxide, An *in vitro* comparison of the bleaching efficacy of 35% carbamide peroxide with established intracoronal bleaching agents, 483
Extraradicular diffusion of hydrogen peroxide and pH changes associated with intracoronal bleaching of discoloured teeth using different bleaching agents, 500

ibuprofen, The efficacy of pain control following nonsurgical root canal treatment using ibuprofen or a combination of ibuprofen and acetaminophen in a randomized, double-blind, placebo-controlled study, 531
image processing, Fraudulent management of digital endodontic images, 214
inflammation, Transforming Growth Factor-beta 1 (TGF-beta 1) expression in normal healthy pulps and in those with irreversible pulpitis, 114
instrumentation, Morphometric analysis of shank-to-flute ratio in rotary nickel–titanium files, 353
interleukin-8, role of substance p and calcitonin gene-related peptide in the regulation of interleukin-8 and monocyte chemotactic protein-1 expression in human dental pulp, 185
intracanal medicament, *In vitro* antimicrobial effect of chlorhexidine-impregnated gutta percha points on *Enterococcus faecalis*, 105
intracanal medication, FT-Raman spectroscopy of calcium hydroxide medicament in root canals, 489
investigative techniques, An evaluation of the use of tooth temperature to assess human pulp vitality, 374
irreversible pulpitis, Transforming Growth Factor-beta 1 (TGF-beta 1) expression in normal healthy pulps and in those with irreversible pulpitis, 114
irrigants, Dissolution of pulp tissue by aqueous solution of chlorhexidine digluconate and chlorhexidine digluconate gel, 38
irrigation, Comparative investigation of two rotary nickel–titanium instruments: ProTaper versus RaCe. Part 2. Cleaning effectiveness and shaping ability in severely curved root canals of extracted teeth, 239
The effectiveness of syringe irrigation and ultrasonics to remove debris from simulated irregularities within prepared root canal walls, 672

© 2004 International Endodontic Journal

jordan, Prevalence of dens invaginatus in Jordanian adults, 307

knoop, The effect of two different calcium hydroxide combinations on root dentine microhardness, 828

laser Doppler flowmetry, Laser Doppler flow measurements of pulpal blood flow and severity of dental injury, 463
leakage, The influence of root-end resection and root-end cavity preparation on microleakage of root filled teeth *in vitro*, 403
light curing, Cytotoxicity of composite resins polymerized with different curing methods, 151
LSTR therapy, Endodontic treatment of primary teeth using a combination of antibacterial drugs, 132
luxation injuries, Laser Doppler flow measurements of pulpal blood flow and severity of dental injury, 463
LV SEM, Marginal adaptation of mineral trioxide aggregate (MTA) compared with amalgam as a root-end filling material: a low-vacuum (LV) versus high-vacuum (HV) SEM study, 325

mandible, Central adenoid cystic carcinoma of the mandible manifesting as an endodontic lesion, 711
Pulpal necrosis with sickle cell anaemia, 602
mandibular first molar, The radix entomolaris in mandibular first molars: an endodontic challenge, 789
mandibular molar, C-shaped root canals of mandibular second molars in a Korean population: clinical observation and *in vitro* analysis, 139
mandibular teeth, Investigation of the root canal configurations of mandibular permanent teeth in the Turkish population, 494
maxillary first premolar, Three-dimensional observation of pulp cavities in the maxillary first premolar tooth using micro-CT, 46
maxillary incisors, Laser Doppler flow measurements of pulpal blood flow and severity of dental injury, 463
maxillary lateral incisor, Endodontic treatment of an invaginated maxillary lateral incisor with a periradicular lesion and a healthy pulp, 717
membranes, Periosteal grafts as barriers in periradicular surgery: report of two cases, 632
microbiology, Cultivable microbial flora associated with persistent periapical disease and coronal leakage after root canal treatment: a preliminary study, 542
Gram-positive rods prevailing in teeth with apical periodontitis undergoing root canal treatment, 579
micro-CT, Three-dimensional observation of pulp cavities in the maxillary first premolar tooth using micro-CT, 46
microhardness, The effect of two different calcium hydroxide combinations on root dentine microhardness, 828
microleakage, Effect of root-end resection and root-end filling on apical leakage in the presence of core-carrier root canal obturation, 477
microorganisms, Resolution of persistent periapical infection by endodontic surgery, 61
mineral trioxide aggregate, Biocompatibility of two commercial forms of mineral trioxide aggregate, 699
3Mix-MP, Endodontic treatment of primary teeth using a combination of antibacterial drugs, 132
molar clamp, Use of a molar clamp to isolate two adjacent single-rooted teeth: a clinical aid, 507
monocyte chemotactic protein-1, role of substance p and calcitonin gene-related peptide in the regulation of interleukin-8 and monocyte chemotactic protein-1 expression in human dental pulp, 185
morphology, C-shaped root canals of mandibular second molars in a Korean population: clinical observation and *in vitro* analysis, 139
Investigation of the root canal configurations of mandibular permanent teeth in the Turkish population, 494
morpho-metrical changes with age, Three-dimensional observation of pulp cavities in the maxillary first premolar tooth using micro-CT, 46
MTA, Marginal adaptation of mineral trioxide aggregate (MTA) compared with amalgam as a root-end filling material: a low-vacuum (LV) versus high-vacuum (HV) SEM study, 325

necrosis, Gingival necrosis following the use of a paraformaldehyde-containing paste: a case report, 157
Investigation of the effect of the coronal restoration quality on the composition of the root canal microflora in teeth with apical periodontitis by means of T-RFLP analysis, 819
nickel–titanium, Accuracy of the DTC torque control motor for nickel-titanium rotary instruments, 399
An analysis of endodontic treatment with three nickel-titanium rotary root canal preparation techniques, 849
Cleaning of rotary nickel–titanium endodontic instruments, 19
Comparative investigation of two rotary nickel–titanium instruments: ProTaper versus RaCe. Part 1. Shaping ability in simulated curved canals, 229
Shaping ability of ProTaper nickel-titanium files in simulated resin root canals, 613
Shaping ability of ProFile and K3 rotary Ni-Ti instruments when used in a variable tip sequence in simulated curved root canals, 593
Torsional fatigue and endurance limit of a size 30 .06 ProFile rotary instrument, 370
Undergraduate teaching and clinical use of rotary nickel–titanium endodontic instruments: a survey of French dental schools, 320

© 2004 International Endodontic Journal

NIET, Endodontic treatment of primary teeth using a combination of antibacterial drugs, 132
nisin, An *in-vitro* investigation of the antibacterial effect of nisin in root canals and canal wall radicular dentine, 664
NiTi files, Susceptibility to localized corrosion of stainless steel and NiTi endodontic instruments in irrigating solutions, 705
NiTi instruments, Efficacy, cleaning ability and safety of different rotary NiTi instruments in root canal retreatment, 468
NiTi rotary instrumentation, Comparison of apical transportation between ProFile™ and ProTaper™ NiTi rotary instruments, 359
NiTi rotary instruments, SEM evaluation of canal wall dentine following use of Mtwo and ProTaper NiTi rotary instruments, 832
nonsurgical root canal treatment, The efficacy of pain control following nonsurgical root canal treatment using ibuprofen or a combination of ibuprofen and acetaminophen in a randomized, double-blind, placebo-controlled study, 531
non-surgical root canal treatment, A clinical radiographic retrospective assessment of the success rate of single-visit root canal treatment, 70

obturation techniques, Percentage of canals filled in apical cross sections – an *in vitro* study of seven obturation techniques, 392
obturation, A comparative histological evaluation of the biocompatibility of materials used in apical surgery, 738
Effect of obturation technique on sealer cement thickness and dentinal tubule penetration, 653
Root canal obturation by ultrasonic condensation of gutta-percha. Part II: an *in vitro* investigation of the quality of obturation, 694
Ultrasonic condensation of gutta-percha: the effect of power setting and activation time on temperature rise at the root surface – an *in vitro* study, 447
odontogenic cysts, Expression of transforming growth factor-beta 1 (TGF-beta 1) in odontogenic cysts, 7
odontogenic keratocysts, Expression of transforming growth factor-beta 1 (TGF-beta 1) in odontogenic cysts, 7
oral radiology, Increased width of the apical periodontal membrane space in endodontically treated teeth may represent favourable healing, 552

p38 MAPK, Proliferation of dental pulp fibroblasts in response to thrombin involves mitogen-activated protein kinase signalling, 145
pain, Prevalence of and factors affecting postpreparation pain in patients undergoing two-visit root canal treatment, 29
pain, Prevalence of and factors affecting post-obturation pain in patients undergoing root canal treatment, 381
papilla base incision, Comparison of long-term papilla healing following sulcular full thickness flap and papilla base flap in endodontic surgery, 687
papilla healing, Comparison of long-term papilla healing following sulcular full thickness flap and papilla base flap in endodontic surgery, 687
paraformaldehyde-containing paste, Gingival necrosis following the use of a paraformaldehyde-containing paste: a case report, 157
PCR, Cytomegalovirus infection in symptomatic periapical pathosis, 519
periapical, Central adenoid cystic carcinoma of the mandible manifesting as an endodontic lesion, 711
periapical disease, Increased width of the apical periodontal membrane space in endodontically treated teeth may represent favourable healing, 552
periapical healing, Prognosis of large cyst-like periapical lesions following nonsurgical root canal treatment: a clinical review, 408
periapical index, An analysis of endodontic treatment with three nickel-titanium rotary root canal preparation techniques, 849
periapical pathology, Internal apical resorption and its correlation with the type of apical lesion, 730
Periapical radiolucency mimicking an odontogenic cyst, 337
periapical pathosis, Cytomegalovirus infection in symptomatic periapical pathosis, 519
periapical plaque, Resolution of persistent periapical infection by endodontic surgery, 61
periapical status, Periapical status and quality of root fillings and coronal restorations in an adult Spanish population, 525
periapical surgery, Survival of surgical endodontic treatment performed in a dental teaching hospital: a cohort study, 764
periosteum, Periosteal grafts as barriers in periradicular surgery: report of two cases, 632
periradicular lesion, Endodontic treatment of an invaginated maxillary lateral incisor with a periradicular lesion and a healthy pulp, 717
periradicular surgery, Periosteal grafts as barriers in periradicular surgery: report of two cases, 632
pH, Detection of acid diffusion through bovine dentine after adhesive application, 455
Determination of pH and calcium ion release provided by pure and calcium hydroxide-containing AHPlus, 42
physical property, Effects of calcium hydroxide on physical and sealing properties of canal sealers, 178
plaque, A scanning electron microscope study of plaque accumulation on silk and PVDF suture materials in oral mucosa, 776
post space, Clinical response to a vacant post space, 199
post-obturation pain, Prevalence of and factors affecting post-obturation pain in patients undergoing root canal treatment, 381

© 2004 International Endodontic Journal

postoperative pain control, The efficacy of pain control following nonsurgical root canal treatment using ibuprofen or a combination of ibuprofen and acetaminophen in a randomized, double-blind, placebo-controlled study, 531
post-retained core, A clinical report of 85 fractured metallic post-retained crowns, 561
prevalence, Prevalence of dens invaginatus in Jordanian adults, 307
primary teeth, Endodontic treatment of primary teeth using a combination of antibacterial drugs, 132
ProFile™, Comparison of apical transportation between ProFile™ and ProTaper™ NiTi rotary instruments, 359
ProFile, Accuracy of the DTC torque control motor for nickel-titanium rotary instruments, 399
prognosis, Increased width of the apical periodontal membrane space in endodontically treated teeth may represent favourable healing, 552
Nonsurgically retreated root filled teeth – radiographic findings after 20–27 years, 12
prospective study, Gram-positive rods prevailing in teeth with apical periodontitis undergoing root canal treatment, 579
ProTaper™, Comparison of apical transportation between ProFile™ and ProTaper™ NiTi rotary instruments, 359
ProTaper, Efficacy, cleaning ability and safety of different rotary NiTi instruments in root canal retreatment, 468
ProTaper, Shaping ability of ProTaper nickel-titanium files in simulated resin root canals, 613
protease activated receptor, Proliferation of dental pulp fibroblasts in response to thrombin involves mitogen-activated protein kinase signalling, 145
pulp, Dissolution of pulp tissue by aqueous solution of chlorhexidine digluconate and chlorhexidine digluconate gel, 38
In vitro penetration of bleaching agents into the pulp chamber, 120
pulp capping, The annual frequency of root fillings, tooth extractions and pulp-related procedures in Danish adults during 1977–2003, 782
pulp cavity, Three-dimensional observation of pulp cavities in the maxillary first premolar tooth using micro-CT, 46
pulp fibroblasts, Induction of vascular endothelial growth factor expression in human pulp fibroblasts stimulated with black-pigmented *Bacteroides*, 588
pulp vitality, An evaluation of the use of tooth temperature to assess human pulp vitality, 374
pulpal blood flow., Laser Doppler flow measurements of pulpal blood flow and severity of dental injury, 463
pulpal infection, Gram-positive rods prevailing in teeth with apical periodontitis undergoing root canal treatment, 579
PVDF, A scanning electron microscope study of plaque accumulation on silk and PVDF suture materials in oral mucosa, 776

quantitative RT-PCR, Reduction of connexin 43 expression in aged human dental pulp, 814
questionnaire survey, Questionnaire survey on the use of rotary nickel–titanium endodontic instruments by Australian dentists, 249

radicular cysts, Expression of transforming growth factor-beta 1 (TGF-beta 1) in odontogenic cysts, 7
radiographic images, Fraudulent management of digital endodontic images, 214
radiographic, A clinical radiographic retrospective assessment of the success rate of single-visit root canal treatment, 70
radiography, A comparison between clearing and radiographic techniques in the study of the root-canal anatomy of maxillary first and second molars, 291
Assessment of a contrast medium as an adjunct to endodontic radiography, 806
radiology, Prevalence of apical periodontitis and frequency of root-filled teeth in an adult Spanish population, 167
radiolucency, Clinical response to a vacant post space, 199
radiopacity, A standard for radiopacity of root-end (retrograde) filling materials is urgently needed, 260
radix entomolaris, The radix entomolaris in mandibular first molars: an endodontic challenge, 789
recession, Comparison of long-term papilla healing following sulcular full thickness flap and papilla base flap in endodontic surgery, 687
remaining dentine thickness, Detection of acid diffusion through bovine dentine after adhesive application, 455
resin blocks, Comparative investigation of two rotary nickel–titanium instruments: ProTaper versus RaCe. Part 1. Shaping ability in simulated curved canals, 229
resin composite, Effect of nonvital bleaching with 10% carbamide peroxide on sealing ability of resin composite restorations, 52
retreatment, Nonsurgically retreated root filled teeth – radiographic findings after 20–27 years, 12
retrograde-filling, A standard for radiopacity of root-end (retrograde) filling materials is urgently needed, 260
root apex, Electronic apex locators, 425
root canal, Cultivable microbial flora associated with persistent periapical disease and coronal leakage after root canal treatment: a preliminary study, 542
Decalcification of root canal dentine by citric acid, EDTA and sodium citrate, 365

© 2004 International Endodontic Journal

Effectiveness of electrochemically activated water as an irrigant in an infected tooth model, 624
Investigation of the root canal configurations of mandibular permanent teeth in the Turkish population, 494
Root canal obturation by ultrasonic condensation of gutta-percha. Part II: an *in vitro* investigation of the quality of obturation, 694
Ultrasonic condensation of gutta-percha: the effect of power setting and activation time on temperature rise at the root surface – an *in vitro* study, 447
root canal anatomy, Assessment of a contrast medium as an adjunct to endodontic radiography, 806
root canal filling, Percentage of canals filled in apical cross sections – an *in vitro* study of seven obturation techniques, 392
root canal irrigants, *In vitro* evaluation of the effectiveness of irrigants and intracanal medicaments on microorganisms within root canals, 311
root canal irrigation, Toxicity of concentrated sodium hypochlorite used as an endodontic irrigant, 272
root canal obturation, Determination of pH and calcium ion release provided by pure and calcium hydroxide-containing AHPlus, 42
root canal orifices, Three-dimensional observation of pulp cavities in the maxillary first premolar tooth using micro-CT, 46
root canal preparation, A comparison of instrument-centering ability within the root canal for three contemporary instrumentation techniques, 265
Comparative investigation of two rotary nickel–titanium instruments: ProTaper versus RaCe. Part 1. Shaping ability in simulated curved canals, 229
SEM evaluation of canal wall dentine following use of Mtwo and ProTaper NiTi rotary instruments, 832
Shaping ability of ProFile and K3 rotary Ni-Ti instruments when used in a variable tip sequence in simulated curved root canals, 593
Shaping ability of ProTaper nickel-titanium files in simulated resin root canals, 613
root canal retreatment, Efficacy, cleaning ability and safety of different rotary NiTi instruments in root canal retreatment, 468
root canal sealer, Effects of calcium hydroxide on physical and sealing properties of canal sealers, 178
The use of glass ionomer cements in both conventional and surgical endodontics, 91
root canal sealers, Survival of *Enterococcus faecalis* in infected dentinal tubules after root canal filling with different root canal sealers *in vitro*, 193
Comparison of apical transportation between ProFile™ and ProTaper™ NiTi rotary instruments, 359
Endodontic treatment of an invaginated maxillary lateral incisor with a periradicular lesion and a healthy pulp, 717
Morphometric analysis of shank-to-flute ratio in rotary nickel–titanium files, 353
root canal treatment, Nonsurgically retreated root filled teeth – radiographic findings after 20–27 years, 12
Prevalence of and factors affecting postpreparation pain in patients undergoing two-visit root canal treatment, 29
Prevalence of and factors affecting post-obturation pain in patients undergoing root canal treatment, 381
Use of a molar clamp to isolate two adjacent single-rooted teeth: a clinical aid, 507
root canal walls, A one step procedure for luting glass fibre posts: an SEM evaluation, 679
root dentine infection, Survival of *Enterococcus faecalis* in infected dentinal tubules after root canal filling with different root canal sealers *in vitro*, 193
root-end, The influence of root-end resection and root-end cavity preparation on microleakage of root filled teeth *in vitro*, 403
root-canal anatomy, A comparison between clearing and radiographic techniques in the study of the root-canal anatomy of maxillary first and second molars, 291
root-end filling, Effect of root-end resection and root-end filling on apical leakage in the presence of core-carrier root canal obturation, 477
The use of glass ionomer cements in both conventional and surgical endodontics, 91
The influence of root-end resection and root-end cavity preparation on microleakage of root filled teeth *in vitro*, 403
root-end fillings, Marginal adaptation of mineral trioxide aggregate (MTA) compared with amalgam as a root-end filling material: a low-vacuum (LV) versus high-vacuum (HV) SEM study, 325
root-end preparation, Effect of root-end resection and root-end filling on apical leakage in the presence of core-carrier root canal obturation, 477
root filled teeth, Investigation of the effect of the coronal restoration quality on the composition of the root canal microflora in teeth with apical periodontitis by means of T-RFLP analysis, 819
root fillings, Periapical status and quality of root fillings and coronal restorations in an adult Spanish population, 525
rotary instruments, Comparative investigation of two rotary nickel–titanium instruments: ProTaper versus RaCe. Part 1. Shaping ability in simulated curved canals, 229
Shaping ability of ProTaper nickel-titanium files in simulated resin root canals, 613
rotary NiTi, Questionnaire survey on the use of rotary nickel–titanium endodontic instruments by Australian dentists, 249
rotary techniques, Undergraduate teaching and clinical use of rotary nickel–titanium endodontic instruments: a survey of French dental schools, 320

© 2004 International Endodontic Journal

rotary, Accuracy of the DTC torque control motor for nickel-titanium rotary instruments, 399
An analysis of endodontic treatment with three nickel-titanium rotary root canal preparation techniques, 849
rubber dam isolation, Use of a molar clamp to isolate two adjacent single-rooted teeth: a clinical aid, 507

salivary gland tumour, Central adenoid cystic carcinoma of the mandible manifesting as an endodontic lesion, 711
scanning electron microscopy, Biocompatibility of two commercial forms of mineral trioxide aggregate, 699
sealer cements, Effect of obturation technique on sealer cement thickness and dentinal tubule penetration, 653
sealer thickness, Effect of obturation technique on sealer cement thickness and dentinal tubule penetration, 653
sealer, Determination of pH and calcium ion release provided by pure and calcium hydroxide-containing AHPlus, 42
sealing property, Effects of calcium hydroxide on physical and sealing properties of canal sealers, 178
self-etching primer system, Detection of acid diffusion through bovine dentine after adhesive application, 455
SEM, Internal apical resorption and its correlation with the type of apical lesion, 730
SEM evaluation of canal wall dentine following use of Mtwo and ProTaper NiTi rotary instruments, 832
sickle cell anaemia, Pulpal necrosis with sickle cell anaemia, 602
silk, A scanning electron microscope study of plaque accumulation on silk and PVDF suture materials in oral mucosa, 776
simulated canals, Shaping ability of ProTaper nickel-titanium files in simulated resin root canals, 613
single-bottle adhesive system, Detection of acid diffusion through bovine dentine after adhesive application, 455
single-visit, A clinical radiographic retrospective assessment of the success rate of single-visit root canal treatment, 70
sinus tract, Periosteal grafts as barriers in periradicular surgery: report of two cases, 632
smear layer, Comparative investigation of two rotary nickel–titanium instruments: ProTaper versus RaCe. Part 2. Cleaning effectiveness and shaping ability in severely curved root canals of extracted teeth, 239
Decalcification of root canal dentine by citric acid, EDTA and sodium citrate, 365
smear layer, SEM evaluation of canal wall dentine following use of Mtwo and ProTaper NiTi rotary instruments, 832
sodium hypochlorite, Antimicrobial activity of varying concentrations of sodium hypochlorite on the endodontic microorganisms *Actinomyces israelii, A. naeslundii, Candida albicans* and *Enterococcus faecalis*, 438
In vitro evaluation of the effectiveness of irrigants and intracanal medicaments on microorganisms within root canals, 311
Toxicity of concentrated sodium hypochlorite used as an endodontic irrigant, 272
sodium perborate, An *in vitro* comparison of the bleaching efficacy of 35% carbamide peroxide with established intracoronal bleaching agents, 483
Extraradicular diffusion of hydrogen peroxide and pH changes associated with intracoronal bleaching of discoloured teeth using different bleaching agents, 500
stainless steel files, Susceptibility to localized corrosion of stainless steel and NiTi endodontic instruments in irrigating solutions, 705
standard, A standard for radiopacity of root-end (retrograde) filling materials is urgently needed, 260
stepwise excavation, The annual frequency of root fillings, tooth extractions and pulp-related procedures in Danish adults during 1977–2003, 782
substance P, Role of substance P and calcitonin gene-related peptide in the regulation of interleukin-8 and monocyte chemotactic protein-1 expression in human dental pulp, 185
success, A clinical radiographic retrospective assessment of the success rate of single-visit root canal treatment, 70
Survival of surgical endodontic treatment performed in a dental teaching hospital: a cohort study, 764
sulcular incision, Comparison of long-term papilla healing following sulcular full thickness flap and papilla base flap in endodontic surgery, 687
surgical endodontics, The use of glass ionomer cements in both conventional and surgical endodontics, 91
survey, Undergraduate teaching and clinical use of rotary nickel–titanium endodontic instruments: a survey of French dental schools, 320
survival analysis, Survival of surgical endodontic treatment performed in a dental teaching hospital: a cohort study, 764
sutures, A scanning electron microscope study of plaque accumulation on silk and PVDF suture materials in oral mucosa, 776

temperature rise, Ultrasonic condensation of gutta-percha: the effect of power setting and activation time on temperature rise at the root surface – an *in vitro* study, 447

© 2004 International Endodontic Journal

temperature, An evaluation of the use of tooth temperature to assess human pulp vitality, 374
three-dimensional observation, Three-dimensional observation of pulp cavities in the maxillary first premolar tooth using micro-CT, 46
thrombin, Proliferation of dental pulp fibroblasts in response to thrombin involves mitogen-activated protein kinase signalling, 145
tooth bleaching, An *in vitro* comparison of the bleaching efficacy of 35% carbamide peroxide with established intracoronal bleaching agents, 483
Extraradicular diffusion of hydrogen peroxide and pH changes associated with intracoronal bleaching of discoloured teeth using different bleaching agents, 500
Extraradicular diffusion of hydrogen peroxide and pH changes associated with intracoronal bleaching of discoloured teeth using different bleaching agents, 500
tooth discolouration, An *in vitro* comparison of the bleaching efficacy of 35% carbamide peroxide with established intracoronal bleaching agents, 483
tooth extractions, The annual frequency of root fillings, tooth extractions and pulp-related procedures in Danish adults during 1977–2003, 782
torque control motor, Accuracy of the DTC torque control motor for nickel-titanium rotary instruments, 399
torsional fatigue, Torsional fatigue and endurance limit of a size 30 .06 ProFile rotary instrument, 370
toxicity, Toxicity of concentrated sodium hypochlorite used as an endodontic irrigant, 272
Transforming Growth Factor-beta, Expression of transforming growth factor-beta 1 (TGF-beta 1) in odontogenic cysts, 7
Transforming Growth Factor-beta 1 (TGF-beta 1) expression in normal healthy pulps and in those with irreversible pulpitis, 114
transportation, A comparison of instrument-centering ability within the root canal for three contemporary instrumentation techniques, 265
treatment outcome, Survival of surgical endodontic treatment performed in a dental teaching hospital: a cohort study, 764
T-RFLP, Investigation of the effect of the coronal restoration quality on the composition of the root canal microflora in teeth with apical periodontitis by means of T-RFLP analysis, 819
tubule penetration, Effect of obturation technique on sealer cement thickness and dentinal tubule penetration, 653

ultrasonic irrigation, The efficacy of ultrasonic irrigation to remove artificially placed dentine debris from different-sized simulated plastic root canals, 607
ultrasonics, Root canal obturation by ultrasonic condensation of gutta-percha. Part II: an *in vitro* investigation of the quality of obturation, 694
Ultrasonic condensation of gutta-percha: the effect of power setting and activation time on temperature rise at the root surface – an *in vitro* study, 447
undergraduate teaching, Undergraduate teaching and clinical use of rotary nickel–titanium endodontic instruments: a survey of French dental schools, 320
unfilled, Clinical response to a vacant post space, 199
uninstrumented extension, The efficacy of ultrasonic irrigation to remove artificially placed dentine debris from different-sized simulated plastic root canals, 607

vascular endothelial growth factor, Induction of vascular endothelial growth factor expression in human pulp fibroblasts stimulated with black-pigmented *Bacteroides*, 588
vertical root fractures, Accuracy of the Justy II Apex locator in determining working length in simulated horizontal and vertical fractures, 174
vital pulp, Endodontic treatment of an invaginated maxillary lateral incisor with a periradicular lesion and a healthy pulp, 717
voids, Root canal obturation by ultrasonic condensation of gutta-percha. Part II: an *in vitro* investigation of the quality of obturation, 694

working length, Electronic apex locators, 425
The accuracy of electronic working length determination, 125

© 2004 International Endodontic Journal